



General Features

- 6.5 inch Wide Colour TFT Active Matrix Display
- Number of Pixel: 336,960 pixels
- Screen Size: W143.6mm x H77.1mm
- Fully Motorized Slide-Down Mechanism
- Motorized Tilt Angle Adjust (6 Step)
- Interactive Touch Panel Control with New Smooth GUI
- Selectable GUI Background Wallpaper
- Multifunction Key Operation
- DVD Disc Menu Direct Touch Operation (Highlight Control Mode)
- Audio Easy Control Mode
- DSI & Security Code
- Selectable Key Illumination (Green/Red)
- New Amplifier Control System with PS Amplifiers
- TV Ready with Optional TV Tuner Unit (KTC-V300E)
- iPod Connection with Optional Interface Kit (KCA-iP500)
- OEM Wired Remote Output
- 2-way Telephone/Navigation Mute
- Remote Control Unit Supplied

DDX8027Y


DDX8027Y

6.5" Wide Double-DIN Size Monitor with DVD Video /DSP /WMA /MP3 /Receiver

Designed for those seeking the finest 2-DIN size entertainment system available. This flagship model is packed with the highest-quality video and audio technology, including 5.1ch DSP to bring movie theatre presence to your car. Easy-to-read GUI (Graphic User Interface) and touch screen system put control of the multiple functions at your fingertips. Versatile high performance assures satisfaction to even the most demanding user.



6.5" Wide	TOUCH PANEL	GUI	NAVI Ready	50W X4 MOSFET	5V PREOUTS
4 GOLD PREOUTS	1AVout 2AVin	R-CAM VIDEO IN	DOLBY DIGITAL	DOLBY SURROUND EXPOSED	DIGITAL FILTERING
SRS CS Auto	SOUND MANAGEMENT SYSTEM	DIGITAL E's+	Installer Memory	DVD VIDEO	DVD±R/RW
MPEG 1/2 VIDEO	JPEG FILE	WMA MP3	RDS RADIO TEXT	K3i TUNER	DUAL ZONE
OEM Wired Remote	AMP Control	DUAL CHGR Cont.	REMOTE Supplied		

 Features not available in lower models.

Audio/ Video Features

- Maximum Output Power : 50W x 4 (MOSFET Power IC)
- Gold Plated 4 Preouts with 5V Pre-output Level (Front/ Rear/ Centre/ Subwoofer)
- 1 RCA AV Output (PAL or NTSC according to the source)
- 2 RCA AV Inputs (PAL/NTSC Automatic Selection)
- 1 RCA Video Input with Mirror Mode function for Rear View Camera
- Video Input Signal Automatic Detection Mode (Normal/ AUTO)
- RGB Input for Navigation System
- Dolby Digital/ dts/ MPEG/ Linear PCM Decode
- Dolby Pro Logic II (for 2ch Source to 5.1ch surround)
- SRS Circle Surround Automotive Decode
- 4 Band Parametric EQ/ Digital X'over/Digital Time Alignment
- Sound Management System (Type of Car & Speaker Size for Each Channel Selectable)
- DRC (Dynamic Range Control : Wide/ Normal/ Midnight)
- Dual Zone Source & Volume Control
- Attenuator(-20dB) with Smooth Volume Return
- Installer & Backup Memory (Store & Backup Audio & Video Settings)

Tuner Features

- FM/MW/LW 24 Station Presets (18FM, 6MW & LW)
- RDS with Radio Text
- K3i Clear Reception Tuner Circuit

DVD/ CD Features

- DVD Video Playback
- DVD±R/RW Compatible (Video Format Only for Visual Playback)
- VCD Compatible
- WMA (Windows Media Audio) & MP3 Decoder with ID-3 Tag Display
- MPEG 1/2 Video File (.mpg) & JPEG File (.jpg) Playback
- 24-Bit D/A Converter
- CD Text Ready
- CD-R/CD-RW Compatible

Changer Control Features

- Dual Disc Changer Control Capability (CH1/CH2 & AUX)
- DNPS (Disc Name Presets) with Compatible CD Changers
- CD Text Ready with Compatible CD Changers

Accessories

- TV Tuner Unit (KTC-V300E)
- Centre Speaker Unit (KSC-900CTR/ KSC-510CTR)
- 10 Disc MP3/CD Changer (KDC-C719MP)
- 10/ 6 Disc CD Changer (KDC-C719/ KDC-C669/ KDC-C469)
- iPod Interface (KCA-IP500)



MULTIMEDIA



DDX6029/Y



6.95" Wide Double-DIN Size Monitor with DVD Video /WMA /MP3 /Receiver

This high-performance 2-DIN monitor receiver and DVD player offers all basic video/audio functions and is easily expandable with options including an iPod interface and Bluetooth hands-free mobile phone connection. Designed for convenient installation and easy use, the system features Kenwood's reverse-tilt mechanism to eliminate reflected glare from sunlight and maintain high screen legibility.

6.95" Wide	TOUCH PANEL	OSD	NAVI Ready	ReverseTilt	50W X4 MOSFET
3 PREOUTS	1AVout 1AVin	R-CAM VIDEO IN	DOLBY DIGITAL	dtc	SYSTEM E's+
System Q	Installer Memory	DVD VIDEO	DVD±R/RW	MPEG 1/2VIDEO	JPEG FILE
WMA MP3	RDS RADIO TEXT	K3i TUNER	DUAL ZONE	OEM Wired Remote	AMP Control
Bluetooth H/F Ready	DUAL CHGR Cont.	REMOTE Supplied			

General Features

- 6.95 inch Wide Colour TFT Active Matrix Display
- Number of Pixel: 336,960 pixels
- Screen Size: W156.2 mm x H82.4 mm
- Fully Motorized Slide-Down Mechanism
- Motorized Reverse Tilt & 5 Step Tilt Angle Adjust
- Interactive Touch Panel Control with OSD (On Screen Display)
- Multifunction Key Operation
- DVD Disc Menu Direct Touch Operation (Highlight Control Mode)
- Audio Easy Control Mode
- DSI & Security Code
- Blue Key Illumination
- New Amplifier Control System with PS Amplifiers
- TV Ready with Optional TV Tuner Unit (KTC-V300E)
- iPod Connection with Optional Interface Kit (KCA-iP500)
- Bluetooth Handsfree with Optional Unit (KCA-BT100)
- OEM Wired Remote Output
- 2-way Telephone/Navigation Mute
- Remote Control Unit Supplied

Audio/ Video Features

- Maximum Output Power : 50W x 4 (MOSFET Power IC)
- 3 Preouts (Front/ Rear/ Subwoofer)
- 1 RCA AV Output (PAL or NTSC according to the source)
- 1 RCA AV Input (PAL/NTSC Automatic Selection)
- 1 RCA Video Input with Mirror Mode function for Rear View Camera
- Video Input Signal Automatic Detection Mode (Normal/ AUTO)
- RGB Input for Navigation System
- System E's+ (Built-in HPF/LPF)
- System Q (Preset Sound Control)
- Dual Zone Source & Volume Control
- Attenuator(-20dB) with Smooth Volume Return
- Installer & Backup Memory (Store & Backup Audio & Video Settings)

Tuner Features

- FM/MW/LW 24 Station Presets (18FM, 6MW & LW)
- RDS with Radio Text
- K3i Clear Reception Tuner Circuit

DVD/ CD Features

- DVD Video Playback
- DVD±R/RW Compatible (Video Format Only for Visual Playback)
- VCD Compatible
- WMA (Windows Media Audio) & MP3 Decoder with ID-3 Tag Display
- MPEG 1/2 Video File (.mpg) & JPEG File (.jpg) Playback
- 24-Bit D/A Converter
- CD Text Ready
- CD-R/CD-RW Compatible

Changer Control Features

- Dual Disc Changer Control Capability (CH1/CH2 & AUX)
- DNPS (Disc Name Presets) with Compatible CD Changers
- CD Text Ready with Compatible CD Changers

Accessories

- TV Tuner Unit (KTC-V300E)
- 10 Disc MP3/CD Changer (KDC-C719MP)
- 10/ 6 Disc CD Changer (KDC-C719/ KDC-C669/ KDC-C469)
- iPod Interface (KCA-iP500)
- Bluetooth Handsfree Unit (KCA-BT100)

DDX6029/Y

KVT-827DVDY

7.0" Wide In-dash Monitor with DVD Video/ DSP/ WMA/ MP3/ Receiver

The leader of Kenwood's 1-DIN DVD receivers, featuring a touch screen and full range of video/audio technologies including 5.1ch DSP. Advanced, intuitive GUI (Graphic User Interface) and touch screen assure easy, no-miss operation.

7" Wide	TOUCH PANEL	GUI	NAVI Ready
50W X4 MOSFET	5V PREOUTS	4 GOLD PREOUTS	1AVout 2AVin
R-CAM VIDEO IN	DOLBY DIGITAL	DOLBY SURROUND PROLOGIC	DIGITAL dts SURROUND
SRS CS Auto	SOUND MANAGEMENT SYSTEM	DIGITAL ES+	Installer Memory
DVD VIDEO	DVD±R/RW	MPEG 1/2 VIDEO	JPEG FILE
WMA MP3	RDS RADIO TEXT	K3i TUNER	DUAL ZONE
OEM Wired Remote	AMP Control	DUAL CHGR Cont.	REMOTE Supplied

 Features not available in lower models.



KVT-827DVDY

General Features

- 7.0 inch Wide Colour TFT Active Matrix Display
- Number of Pixel: 336,960 pixels
- Screen Size: W154.1mm x H87.1mm
- New Full-automatic "Z-action" Open/Close Mechanism
- Motorized Tilt Angle Adjust (8 Step)
- Motorized Back and Forth Display Position Adjust (4 Position)
- Interactive Touch Panel Control with New Smooth GUI
- Selectable GUI Background Wallpaper
- Multifunction Key Operation
- DVD Disc Menu Direct Touch Operation (Highlight Control Mode)
- Audio Easy Control Mode
- External Hard-key Operation (When Monitor Closed)
- Partial Detachable TDF Panel with DSI & Security Code
- Mini Display: 5 x 7 Dot Matrix LCD (Blue/Green/Red)
- Selectable Key Illumination (Green/Red)
- New Amplifier Control System with PS Amplifiers
- TV Ready with Optional TV Tuner Unit (KTC-V300E)
- iPod Connection with Optional Interface Kit (KCA-iP500)
- OEM Wired Remote Output
- 2-way Telephone/Navigation Mute
- All-in-one Hide-away Black Box (5.1ch DSP/ Receiver) Supplied
- Remote Control Unit Supplied

Audio/ Video Features

- Maximum Output Power : 50W x 4 (MOSFET Power IC)
- Gold Plated 4 Preouts with 5V Pre-output Level (Front/ Rear/ Centre/ Subwoofer)
- 1 RCA AV Output (PAL or NTSC according to the source)
- 2 RCA AV Inputs (PAL/NTSC Automatic Selection)
- 1 RCA Video Input with Mirror Mode function for Rear View Camera
- Video Input Signal Automatic Detection Mode (Normal/ AUTO)
- RGB Input for Navigation System
- Dolby Digital/ dts/ MPEG/ Linear PCM Decode
- Dolby Pro Logic II (for 2ch Source to 5.1ch surround)
- SRS Circle Surround Automotive Decode
- 4 Band Parametric EQ/ Digital X'over/Digital Time Alignment
- Sound Management System (Type of Car & Speaker Size for Each Channel Selectable)
- DRC (Dynamic Range Control : Wide/ Normal/ Midnight)
- Dual Zone Source & Volume Control
- Attenuator (-20dB) with Smooth Volume Return
- Installer & Backup Memory (Store & Backup Audio & Video Settings)

Tuner Features

- FM/MW/LW 24 Station Presets (18FM, 6MW & LW)
- RDS with Radio Text
- K3i Clear Reception Tuner Circuit

DVD/ CD Features

- DVD Video Playback
- DVD±R/RW Compatible (Video Format Only for Visual Playback)
- VCD Compatible
- WMA (Windows Media Audio) & MP3 Decoder with ID-3 Tag Display
- MPEG 1/2 Video File (.mpg) & JPEG File (.jpg) Playback
- 24-Bit D/A Converter
- CD Text Ready
- CD-R/CD-RW Compatible

Changer Control Features

- Dual Disc Changer Control Capability (CH1/CH2 & AUX)
- DNPS (Disc Name Presets) with Compatible CD Changers
- CD Text Ready with Compatible CD Changers

Accessories

- TV Tuner Unit (KTC-V300E)
- Centre Speaker Unit (KSC-900CTR/ KSC-510CTR)
- 10 Disc MP3/CD Changer (KDC-C719MP)
- 10/ 6 Disc CD Changer (KDC-C719/ KDC-C669/ KDC-C469)
- iPod Interface (KCA-iP500)



MULTIMEDIA



KVT-727DVDY

7.0" Wide In-dash Monitor with DVD Video /DSP /WMA / MP3 /Receiver

This all-in-one system includes a high-performance 5.1ch DSP for realistic movie theatre ambience in your car. DVD±R/RW-compatibility allows you to record a large number of audio files to a single DVD for long hours of non-stop playback.

7" Wide	TOUCH PANEL	OSD	NAVI Ready
50W X4 MOSFET	5V PREOUTS	4 GOLD PREOUTS	1AVout 2AVin
R-CAM VIDEO IN	DOLBY DIGITAL	DOLBY SURROUND DIGITAL	DTS
SRS CS Auto	SOUND MANAGEMENT SYSTEM	DIGITAL E'S+	Installer Memory
DVD VIDEO	DVD±R/RW	MPEG 1/2 VIDEO	JPEG FILE
WMA MP3	RDS RADIO TEXT	K3i TUNER	DUAL ZONE
OEM Wired Remote	AMP Control	DUAL CHGR Cont.	REMOTE Supplied

 Features not available in lower models.

General Features

- 7.0 inch Wide Colour TFT Active Matrix Display
- Number of Pixel: 336,960 pixels
- Screen Size: W154.1mm x H87.1mm
- New Full-automatic "Z-action"Open/Close Mechanism
- Motorized Tilt Angle Adjust (8 Step)
- Motorized Back and Forth Display Position Adjust (4 Position)
- Interactive Touch Panel Control with OSD (On Screen Display)
- Multifunction Key Operation
- DVD Disc Menu Direct Touch Operation (Highlight Control Mode)
- Audio Easy Control Mode
- External Hard-key Operation (When Monitor Closed)
- Partial Detachable TDF Panel with DSI & Security Code
- Selectable Key Illumination (Green/Red)
- New Amplifier Control System with PS Amplifiers
- TV Ready with Optional TV Tuner Unit (KTC-V300E)
- iPod Connection with Optional Interface Kit (KCA-iP500)
- OEM Wired Remote Output
- 2-way Telephone/Navigation Mute
- All-in-one Hide-away Black Box (5.1ch DSP/ Receiver) Supplied
- Remote Control Unit Supplied

Audio/ Video Features

- Maximum Output Power : 50W x 4 (MOSFET Power IC)
- Gold Plated 4 Preouts with 5V Pre-output Level (Front/ Rear/ Centre/ Subwoofer)
- 1 RCA AV Output (PAL or NTSC according to the source)
- 2 RCA AV Inputs (PAL/NTSC Automatic Selection)
- 1 RCA Video Input with Mirror Mode function for Rear View Camera
- Video Input Signal Automatic Detection Mode (Normal/AUTO)
- RGB Input for Navigation System
- Dolby Digital/ dts/ MPEG/ Linear PCM Decode
- Dolby Pro Logic II (for 2ch Source to 5.1ch surround)
- SRS Circle Surround Automotive Decode
- 4 Band Parametric EQ/ Digital X'over/Digital Time Alignment
- Sound Management System (Type of Car & Speaker Size for Each Channel Selectable)
- DRC (Dynamic Range Control : Wide/ Normal/ Midnight)
- Dual Zone Source & Volume Control
- Attenuator (-20dB) with Smooth Volume Return
- Installer & Backup Memory (Store & Backup Audio & Video Settings)

Tuner Features

- FM/MW/LW 24 Station Presets (18FM, 6MW & LW)
- RDS with Radio Text
- K3i Clear Reception Tuner Circuit

DVD/ CD Features

- DVD Video Playback
- DVD±R/RW Compatible (Video Format Only for Visual Playback)
- VCD Compatible
- WMA (Windows Media Audio) & MP3 Decoder with ID-3 Tag Display
- MPEG 1/2 Video File (.mpg) & JPEG File (.jpg) Playback
- 24-Bit D/A Converter
- CD Text Ready
- CD-R/CD-RW Compatible

Changer Control Features

- Dual Disc Changer Control Capability (CH1/CH2 & AUX)
- DNPS (Disc Name Presets) with Compatible CD Changers
- CD Text Ready with Compatible CD Changers

Accessories

- TV Tuner Unit (KTC-V300E)
- Centre Speaker Unit (KSC-900CTR/ KSC-510CTR)
- 10 Disc MP3/CD Changer (KDC-C719MP)
- 10/ 6 Disc CD Changer (KDC-C719/ KDC-C669/ KDC-C469)
- iPod Interface (KCA-iP500)

KVT-727DVDY

KVT-627DVDY

7.0" Wide In-dash Monitor with DVD Video /WMA / MP3 /Receiver

Monitor-receiver with high-performance DVD player. Although an entry-level model, it offers a full range of convenient functions such as easy-to-use touch screen control and compatibility with MPEG1/ MPEG2 and JPEG files as well as DVD video files.

7" Wide	TOUCH PANEL	OSD	NAVI Ready
50W X4 MOSFET	5V PREOUTS	3 PREOUTS	1AVout 1AVin
R-CAM VIDEO IN	DOLBY DIGITAL	DTS	SYSTEM E's+
System Memory	Installer Memory	DVD VIDEO	DVD±R/RW
MPEG 1/2 VIDEO	JPEG FILE	WMA MP3	RDS RADIO TEXT
K3i TUNER	DUAL ZONE	OEM Wired Remote	AMP Control
DUAL CHGR Cont.	REMOTE Supplied		

 Features not available in lower models.



KVT-627DVDY

General Features

- 7.0 inch Wide Colour TFT Active Matrix Display
- Number of Pixel: 336,960 pixels
- Screen Size: W154.1mm x H87.1mm
- New Full-automatic "Z-action" Open/Close Mechanism
- Motorized Tilt Angle Adjust (8 Step)
- Motorized Back and Forth Display Position Adjust (4 Position)
- Interactive Touch Panel Control with OSD (On Screen Display)
- Multifunction Key Operation
- DVD Disc Menu Direct Touch Operation (Highlight Control Mode)
- Audio Easy Control Mode
- External Hard-key Operation (When Monitor Closed)
- Partial Detachable TDF Panel with DSI & Security Code
- Selectable Key Illumination (Green/Red)
- New Amplifier Control System with PS Amplifiers
- TV Ready with Optional TV Tuner Unit (KTC-V300E)
- iPod Connection with Optional Interface Kit (KCA-iP500)
- OEM Wired Remote Output
- 2-way Telephone/Navigation Mute
- Remote Control Unit Supplied

Audio/ Video Features

- Maximum Output Power : 50W x 4 (MOSFET Power IC)
- 3 Preouts with 5V Pre-output Level (Front/ Rear/ Subwoofer)
- 1 RCA AV Output (PAL or NTSC according to the source)
- 1 RCA AV Input (PAL/NTSC Automatic Selection)
- 1 RCA Video Input with Mirror Mode function for Rear View Camera
- Video Input Signal Automatic Detection Mode (Normal/ AUTO)
- RGB Input for Navigation System
- System E's+ (Built-in HPF/LPF)
- System Q (Preset Sound Control)
- Dual Zone Source & Volume Control
- Attenuator(-20dB) with Smooth Volume Return
- Installer & Backup Memory (Store & Backup Audio & Video Settings)

Tuner Features

- FM/MW/LW 24 Station Presets (18FM, 6MW & LW)
- RDS with Radio Text
- K3i Clear Reception Tuner Circuit

DVD/ CD Features

- DVD Video Playback
- DVD±R/RW Compatible (Video Format Only for Visual Playback)
- VCD Compatible
- WMA (Windows Media Audio) & MP3 Decoder with ID-3 Tag Display
- MPEG 1/2 Video File (.mpg) & JPEG File (.jpg) Playback
- 24-Bit D/A Converter
- CD Text Ready
- CD-R/CD-RW Compatible

Changer Control Features

- Dual Disc Changer Control Capability (CH1/CH2 & AUX)
- DNPS (Disc Name Presets) with Compatible CD Changers
- CD Text Ready with Compatible CD Changers

Accessories

- TV Tuner Unit (KTC-V300E)
- 10 Disc MP3/CD Changer (KDC-C719MP)
- 10/ 6 Disc CD Changer (KDC-C719/ KDC-C669/ KDC-C469)
- iPod Interface (KCA-iP500)



MULTIMEDIA



KVT-M707Y

7.0" Wide In-dash Monitor with Receiver

A touch screen based monitor-receiver that is the ideal basis of an affordable system through the addition of optional units such as a navigation system, TV tuner or DVD player.

7" Wide	TOUCH PANEL	OSD	NAVI Ready	50W x4 MOSFET	5V PREOUTS
3 PREOUTS	1AVout 2AVin	R-CAM VIDEO IN	SYSTEM E's+	System Q	Installer Memory
RDS RADIO TEXT	K3i TUNER	DUAL ZONE	OEM Wired Remote	AMP Control	DUAL CHGR Cont.
REMOTE Supplied					

General Features

- 7.0 inch Wide Colour TFT Active Matrix Display
- Number of Pixel: 336,960 pixels
- Screen Size: W154.1mm x H87.1mm
- New Full-automatic "Z-action" Open/Close Mechanism
- Motorized Tilt Angle Adjust (8 Step)
- Motorized Back and Forth Display Position Adjust (4 Position)
- Interactive Touch Panel Control with OSD (On Screen Display)
- Multifunction Key Operation
- Audio Easy Control Mode
- External Hard-key Operation (When Monitor Closed)
- Partial Detachable TDF Panel with DSI & Security Code
- Selectable Key Illumination (Green/Red)
- New Amplifier Control System with PS Amplifiers
- TV Ready with Optional TV Tuner Unit (KTC-V300E)
- iPod Connection with Optional Interface Kit (KCA-iP500)
- OEM Wired Remote Output
- 2-way Telephone/Navigation Mute
- Remote Control Unit Supplied

Audio/ Video Features

- Maximum Output Power : 50W x 4 (MOSFET Power IC)
- 3 Preouts with 5V Pre-output Level (Front/ Rear/ Subwoofer)
- 1 RCA AV Output (PAL or NTSC according to the source)
- 2 RCA AV Inputs (PAL/NTSC Automatic Selection)
- 1 RCA Video Input with Mirror Mode function for Rear View Camera
- Video Input Signal Automatic Detection Mode (Normal/AUTO)
- RGB Input for Navigation System
- System E's+ (Built-in HPF/LPF)
- System Q (Preset Sound Control)
- Dual Zone Source & Volume Control
- Attenuator(-20dB) with Smooth Volume Return
- Installer & Backup Memory (Store & Backup Audio & Video Settings)

Tuner Features

- FM/MW/LW 24 Station Presets (18FM, 6MW & LW)
- RDS with Radio Text
- K3i Clear Reception Tuner Circuit

Changer Control Features

- Dual Disc Changer Control Capability (CH1/CH2 & AUX)
- DNPS (Disc Name Presets) with Compatible CD Changers
- CD Text Ready with Compatible CD Changers

Accessories

- TV Tuner Unit (KTC-V300E)
- 10 Disc MP3/CD Changer (KDC-C719MP)
- 10/ 6 Disc CD Changer (KDC-C719/ KDC-C669/ KDC-C469)
- iPod Interface (KCA-iP500)

KVT-M707Y

KDV-5234/Y

KDV-5234/Y



DVD Receiver with Changer Control

Simple, highly functional 1-DIN DVD receiver offering full video/audio entertainment and easy expandability. Connection to front or rear video monitors allows DVD playback, and DVD±R/RW-compatibility provides long hours on non-stop music.



FLIP DOWN	FL	Display Off	50Wx4 MOSFET	2.5V PREOUTS	2 PREOUTS
1 Video out	DOLBY DIGITAL	DTS	SYSTEM E's+	System Q-EX	Installer Memory
DVD VIDEO	DVD±R/RW	MPEG 1/2 VIDEO	JPEG FILE	WMA MP3	RDS RADIO TEXT
K3i TUNER	DUAL ZONE	OEM Wired Remote	OEM Display Output	AUX RCA INPUT	AMP Control
Bluetooth H/F Ready	DUAL CHGR Cont.	REMOTE Supplied			

General Features

- Flip-down Detachable Faceplate
- Security Code Function & DSI
- 14 Segment FL Display
- Rotary Encoder & Control Knob
- OSD (On Screen Display) Operation
- Installer & Backup Memory (Store & Backup Audio Settings)
- New Amplifier Control System with PS Amplifiers
- B.M.S.(Bass Management System) with '99-'01 PS Amplifiers
- Display Off Mode
- Bluetooth Handsfree with Optional Unit (KCA-BT100)
- OEM Display Output
- OEM Wired Remote Output
- 2-way Telephone/Navigation Mute
- Selectable Key Illumination (Green/Red)
- Remote Control Unit Supplied

Audio/ Video Features

- Maximum Output Power : 50W x 4 (MOSFET Power IC)
- 2 Preouts with 2.5V Pre-output Level
- 1 RCA Video Output
- Auxiliary RCA Line Input
- System E's+ (Built-in HPF/LPF)
- System Q-Ex (Preset & Full Manual Sound Control)
- Dual Zone Source & Volume Control
- Separate Bass/Mid/Treble Control & Source Tone Memory
- Fader & Loudness Control
- Attenuator (-20dB) with Smooth Volume Return
- Rear/Subwoofer/Audio Fixed Output(1.2V)
- Switchable Preout
- Subwoofer Reference Level Adjustable
- Built In Amp Mute

Tuner Features

- FM/MW/LW 24 Station Presets (18FM, 6MW & LW)
- RDS with Radio Text
- K3i Clear Reception Tuner Circuit

DVD/ CD Features

- DVD Video Playback
- DVD±R/RW Compatible (Video Format Only for Visual Playback)
- VCD Compatible
- WMA (Windows Media Audio) & MP3 Decoder with ID-3 Tag Display
- MPEG 1/2 Video File (.mpg) & JPEG File (.jpg) Playback
- 24-Bit D/A Converter
- CD Text Ready
- CD-R/CD-RW Compatible

Changer Control Features

- Dual Disc Changer Control Capability (CH1/CH2 & AUX)
- iPod Connection Ready with Optional Interface Kit (KCA-iP500)
- CD Text Ready with Compatible CD Changers

Accessories

- 10 Disc MP3/CD Changer (KDC-C719MP)
- 10/ 6 Disc CD Changer (KDC-C719/ KDC-C669/ KDC-C469)
- iPod Interface (KCA-iP500)
- Bluetooth Handsfree Unit (KCA-BT100)

Model Name	KVT-627DVD/ 727DVD/827DVD	DDX6029/8027	KDV-5234
Supported Media			
CD-R/RW	•*7	•*7	•*7
DVDR/RW *6	•	•	•
Multi-Session (CD-R/RW)	•	•	•
File System (Windows)			
ISO9660 Level 1,2	•	•	•
ISO9660 Level 3	×	×	×
Romuo	•	•	•
Joliet	•	•	•
Long File Name	•	•	•
File System (Macintosh)			
File System (UNIX)	×	×	×
Bit Rate	32~320kbps	32~320kbps	32~320kbps
Variable Bit Rate	•	•	•
Sampling Frequency	32k, 44.1k, 48kHz	32k, 44.1k, 48kHz	32k, 44.1k, 48kHz
Joint STEREO	•	•	•
De-Emphasis	•	•	•
ID3 Tag (Ver.1.x) *1	•	•	•
ID3 Tag (Ver.2.x)	×	×	×
Bit Rate	48~192kbps	48~192kbps	48~192kbps
Variable Bit Rate	•	•	•
Sampling Frequency	32k, 44.1k, 48kHz	32k, 44.1k, 48kHz	32k, 44.1k, 48kHz
Professional	×	×	×
Lossless	×	×	×
Voice	×	×	×
WMA Tag *1	•	•	•
File Extension	.mpg	.mpg	.mpg
Sound Format	MPEG1 Audio Layer2	MPEG1 Audio Layer2	MPEG1 Audio Layer2
Bit Rate	32~384kbps	32~384kbps	32~384kbps
Variable Bit Rate	×	×	×
Sampling Frequency	32k, 44.1k, 48kHz	32k, 44.1k, 48kHz	32k, 44.1k, 48kHz
Size of Picture (MPEG1/PAL)	352 x 288	352 x 288	352 x 288
Size of Picture (MPEG1/NTSC)	320 x 240 / 352 x 240	320 x 240 / 352 x 240	320 x 240 / 352 x 240
Size of Picture (MPEG2/PAL)	704 x 576	704 x 576	704 x 576
Size of Picture (MPEG2/NTSC)	640 x 480 / 704 x 480	640 x 480 / 704 x 480	640 x 480 / 704 x 480
File Extension	.jpg	.jpg	.jpg
File Format	Baseline / Progressive	Baseline / Progressive	Baseline / Progressive
Size of Picture (Baseline)	5120 x 3840 Max	5120 x 3840 Max	5120 x 3840 Max
Size of Picture (Progressive)	2048 x 1536 Max	2048 x 1536 Max	2048 x 1536 Max
M3U (Play List)	×	×	×
Max. number of folders (per disc)	254 folders	254 folders	254 folders
Max. number of files (per folder)	255 files	255 files	255 files
CD-DA/MP3 data mixed DISC *2	▲	▲	▲
CD-DA/WMA data mixed DISC *2	▲	▲	▲
MP3/WMA data mixed DISC	•	•	•
MP3/WMA/MP3 Video/JPEG data mixed DISC	•	•	•

Model Name	KVT-627DVD/ 727DVD/827DVD	DDX6029/8027	KDV-5234
Folder Name	• (64byte) *4	• (64byte) *4	• (64byte) *4
File Name	• (170byte) *4	• (170byte) *4	• (170byte) *4
ID3 Tag (ver.1.x)			
Title	•*4	•*4	•*4
Artist	•*4	•*4	•*4
Album	•*4	•*4	•*4
Year	•*4	•*4	•*4
Genre	•*4	•*4	•*4
Track	•*4	•*4	•*4
Comment	•*4	•*4	•*4
WMA Tag (Content Description)			
Title	•*4	•*4	•*4
Author	•*4	•*4	•*4
Copyright	×	×	×
Description	•*4	•*4	•*4
Rating	×	×	×
WM/Album Title	×	×	×

*1: Details of information output

*2: Up to 512 files and folders can be managed in total.

*3: Play only the data form of 1st track in the Disc.

*4: Displayed on OSD

*5: Displayed on applicable KENWOOD Head Unit

*6: Supported only Disc at once. (Multi-session not supported.)

*7: MPEG 2 data written in CD-R/RW is not supported. Be sure to use DVD media for MPEG 2 data.

** WMA9 or higher version are not supported



LZ-760R

7.0" Wide On-dash Monitor

7" Wide	TOUCH PANEL	OSD	NAVI Ready
Quick Release	1AVout 2AVin	R-CAM READY	

General Features

- 7.0 inch Wide Colour TFT Active Matrix Display
- Number of Pixel: 336,960 pixels
- Screen Size: W154.1mm x H87.0mm
- Interactive Touch Panel Control
- Display Mode Selector (NAVI/VIDEO/TV if connected)
- Built-in Speaker
- Quick Releasable Monitor System
- 2 AV Inputs (RCA, PAL/NTSC Automatic Selection)
- 1 AV Output (RCA)
- Rear View Camera Connection Ready (AV Input-2 only)
- RGB Input for Navigation System
- NTSC/PAL Auto Switching
- Auto Brightness Control
- TV Ready with Optional TV Tuner Unit (KTC-V300E)
- Monitor Stand Included



LZ-760R



LZ-702W

6.95" Wide On-dash Monitor



General Features

- 6.95 inch Wide Colour TFT Active Matrix Display
- Number of Pixel: 336,960 pixels
- Screen Size: W156.2 mm x H82.4 mm
- Interactive Touch Panel Control
- Display Mode Selector (NAVI/VIDEO)
- Built-in Speaker
- 2 AV Inputs (RCA, PAL/NTSC Automatic Selection)
- 1 AV Output (RCA)
- RGB Input for Navigation System
- NTSC/PAL Auto Switching
- Auto Brightness Control
- Monitor Stand & Headrest Bracket Included



LZ-702IR

6.95" Wide Rear Monitor



General Features

- 6.95 inch Wide Colour TFT Active Matrix Display
- Number of Pixel: 336,960 pixels
- Screen Size: W156.2 mm x H82.4 mm
- Built-in 2ch (2MHz/3MHz) IR Headphone Transmitter
- Display Mode Selector (NAVI/VIDEO)
- 2 AV Inputs (RCA, PAL/NTSC Automatic Selection)
- 1 AV Output (RCA)
- NTSC/PAL Auto Switching
- Auto Brightness Control
- Headrest Bracket Included

LZ-702W LZ-702IR



KNA-G520

Hide-away Navigation System

Easy-to-use, high-performance navigation system. Connection to a Kenwood touch screen unit gives simple operation and clear guidance to your destination.



General Features

- High performance Navigation with Easy to Use Interface
- Touch-screen Control with Kenwood Compatible Monitors
- Built-in Map Data (Western Europe including Czech Republic)
- Easy-to-Use Graphical Interface
- Map Upgrade via SD Card Slot
- Compact Body (W 120mm x H 30mm x D 117mm)
- 3-Dimensional or 2-Dimensional Map Display
- Day/Night colour mode, Route colour and Text size settings
- Auto zoom function
- Turn-by-Turn Instructions
- Track Log Display function
- Trip Computer (Current/Average/Max Speed, Moving/Stopped Time Display)
- TTS (Text To Speech) Voice Guidance (7 Languages)
 - English, Dutch, French, German, Italian, Portuguese, Spanish
- Voice Guidance (11 Languages) - English, Danish, Dutch, Finnish, French, German, Italian, Norwegian, Portuguese, Spanish, Swedish
- Multi destination search (Address, Food, Hotel, Streets and Cities, Browse Map, My Locations, Recent Finds)
- 3 Route Variations (Faster time, Shorter distance, Off road)
- Route Preference Function (Avoidance settings)
- Auto Re-Route
- Detour Re-Routing
- RDS-TMC Ready

Performance Features

- GPS Receiver (12-Channel)
- GPS Information Display
- Gyroscope Built-in
- Vehicle Position Sensing (GPS/Gyro/Speed Pulse)
- EGNOS(Euro Geostationary Navigation Overlay Service) System Compatible

Connection Features

- RGB Touch Screen Navigation Output
- GPS Antenna Interface
- RDS-TMC Interface
- SD Card Slot for Map Upgrade

GTM10

RDS-TMC Tuner



KTC-V300E

Hide-away TV Tuner Unit

General Features

- PLL Frequency Synthesizer System
- PAL (B/G, I) & SECAM (D/K, B/G)
- Split Carrier Demodulation System
- 16 Preset Stations (TV1/TV2)
- Auto Memory
- Auto Seek
- Film Type 4-ch Diversity Antenna

KCA-BT100

Bluetooth hands-free Phone Interface Unit

A Bluetooth hands-free unit enabling easy, safe cellular phone communications from the car. With a compatible head unit and cellular phone, the user enjoys easy communication by simply talking into the provided microphone and listening to the other party through the vehicle's speakers. A maximum of 5 cellular phones can be registered to enable use by all the family.



General Features

- Connects to compatible Kenwood Head Units
- Automatic Incoming Call Answering Function
- Making Calls from Phonebook
- Making Calls from Incoming Call History
- Making Calls from Outgoing Call History
- Direct Dial Function
- Private Talk Function
- Connection Status Display Function
- Signal Strength Indication
- Remaining Battery Indication
- Phone Registration (Up to 5 phones)
- Phone Selection
- Phonebook Download
- Supplied with Microphone

KCA-iP500



iPod Interface Kit

iPod opened the door to a new style of portable audio. This interface kit lets you play iPod music files through your Kenwood car audio system. Connected to a compatible Kenwood head unit, it allows remote control of iPod functions including menu-based disc search, random play and repeat play.

General Features

- Connects with '03 or later Kenwood Head Units with Changer Control Function
- Displays and Select music files from Music Menu (Playlist, Artist, Album, Genre)
- Random and Repeat Play Function
- Power Supply & Battery Charge Function

* Data information dependent on the display capability of Head Unit

** Access <http://www.kenwood.com/i/kca-ip500/> for further information



KSC-510CTR

Active Center Speakers
[MAX] POWER 20w



General Features

- 50mm Pulp Cone Speaker
- Hide-Away Power Amplifier Included
- Input Sensitivity Adjustment
- RCA input

KSC-310CCS

Passive Centre Speaker
[PEAK] POWER 60w



General Features

- 50mm Pulp Cone Speaker